


Elements




*Inspired By Nature,
Made Possible By...*

CANCOS
TILE & STONE

Eggshell




Chevron
GLAELEGCHEV



Brick
GLAELEGBRK



Arabesque
GLAELEGARAB



Ovals
GLAELEGOVAL

Heather




Chevron
GLAELHECHEV



Brick
GLAELHEBRK



Arabesque
GLAELHEARAB



Ovals
GLAELHEOVAL



APPLICATION	INTERIOR			EXTERIOR		
	R	LC	HC	R	LC	HC
Walls/Backsplashes	X	X	X			
Floors*	X					
Countertops	X					
Submerged Areas	X	X	X			

R - Residential LC - Light Commercial HC - Heavy Commercial

*Interior Residential Light Duty Floors

INSTALLATION	CB	EB
Mortar	X	
Grout	X	

CB - Cement Base EB - Epoxy Base

Glass Tile may be susceptible to scratching in handling and installation, as well as use. Expect variation of color from production run to production run. Please refer to the TCNA HANDBOOK for more specific information regarding installation.

SEALING & MAINTENANCE

To avoid grout seeping into the crackle finish, it is recommended that this tile be sealed with Stone Care International™ Penetrating Sealer, Fila MP90® sealer, or similar product. Please test on a small area before applying. Use a non-abrasive cloth and neutral detergents for cleaning. Avoid acid detergents, chemicals and solvents.

The marketing name for this product is property of Cancos Tile Corp. This same product may be marketed under different names.