

Digital Glass



CANCOS
TILE & STONE

GLADGBEHX



Beige | 2x2 hex |

GLADGDGHEX



Dark Grey | 2x2 hex |

GLADGLGHEX



Light Grey | 2x2 hex |



GLADGST26




Statuario | brick |

GLADGSTHEX3



Statuario | 3x3 hex |

GLADGSTHEX1



Statuario | 1x1 hex |

GLADGSTWEAVE



Statuario | weave |

GLADGSTSCAL



Statuario | scallop |

GLADGSTROCK



Statuario | rocks |

APPLICATION

	INTERIOR			EXTERIOR*		
	R	LC	HC	R	LC	HC
Walls/Backsplashes	X	X	X	X	X	X
Floors	X	X		X	X	
Countertops	X			X		
Submerged Areas	X	X	X	X	X	X

R - Residential LC - Light Commercial HC - Heavy Commercial

*Exterior Usage when proper TCA Installation methods are followed

INSTALLATION

	CB	EB
Mortar	X	
Grout	X	

CB - Cement Base EB - Epoxy Base

Glass Tile may be susceptible to scratching in handling and installation, as well as use. Expect variation of color from production run to production run. Please refer to the TCNA HANDBOOK for more specific information regarding installation.

MAINTENANCE

Use a non-abrasive cloth and neutral detergents for cleaning. Avoid acid detergents, chemicals and solvents.

